INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES, VOLUME 91 (1989)

AUTHOR INDEX

Adams, N.G. 177
Arena, G. 261
Arijs, E. 301
Armentrout, P.B. 123
Aubagnac, J.L. 145

Boldyrev, A.I. 135
Bruzzese, R. 261

Cerveau, G. 145
Cherniak, D.J. 273
Chuit, C. 145
Cocke, D.L. R5
Consalvo, D. 319
Corriu, R.J.P. 145

da Silveira, E.F. R5
Datta, B.P. 229, 241
Delong, S.E. 273
Derrick, P. 41
Doy, M. 105

Esposito, F. 261

Feng, W. R1
Fokkens, R.H. 339
Fujita, Y. 1
Fussen, D. 301

Gardner, J.M. 199
Georgiadis, R. 123
Giardini-Guidoni, A. 319
Grimsrud, E.P. 327
Gutsev, G.L. 135

Harrison, T.M. 273
Hayashi, A. 79
Herd, C.R. 177
Houriet, R. R1

Ichihara, T. 85, 93, 99
Irvine, A.D. 113
Ito, H. 93

Jain, H.C. 229, 241
Johnston, M.V. 157

Katakuse, I. 1, 79, 85, 93, 99
Kimock, F.M. 199
Kinsel, G.R. 157
Korobov, M.V. 283
Kuznetsov, S.V. 283

Labastie, P. 105
Latimer, C.J. 113
Lester, M.I. 199
Lindsay, B.G. 113

Mason, R. 209
Matsuda, H. 1, 11, 19, 27, 51, 69, 79, 85, 93, 99
Matsuo, T. 1, 27, 41, 51, 79, 85, 93, 99
McAfee, C.D. R5
Mele, A. 319
Milton, D. 209
Mitchell, D.W. 273
Mock, R.S. 327
Morris, M. 85
Murata, M. 69

Naugle, D.G. R5
Nevejans, D. 301
Nibbering, N.M.M. 339
Niedzielski, J. 295

Oka, Y. 79

Poulter, L. 183

Raman, V.A. 241
Reye, C. 145

Sakurai, T. 1, 41, 51, 79, 85, 93, 99
Sano, Y. 69
Sant, V.L. 241
Schwarz, H. R1
Schweikert, E.A. R5
Sidorov, L.N. 283
Smith, D. 177
Spinelli, N. 261
Stranges, D. 319
Subbanna, C.S. 241
Sun, D. R5

Taylor, L.C.E. 183
Teghil, R. 319
Turulski, J. 295

Vogel, E. R1

Wada, Y. 79
Wakino, K. 69
Wakita, H. 69
Wincel, H. 339
Wolfrum, P. R1
Wollnik, H. 19

Yamamoto, H. 69

Zook, D.R. 327

INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES, VOLUME 91 (1989)

SUBJECT INDEX

$(Ag)_n^+$
secondary ion mass spectra of silver clusters — up to 26 000 dalton ($n = 240$) 99
abundance distribution
— of cluster ions in the laser mass spectra of the pure elements C, Si, Ge, Sn, and of binary cluster ions from their mixtures 319
acetonitrile
on the structure and isomerization/dissociation reactions of $C_3H_6N^+$ generated by methylation of — in the gas phase 339
alkali bis(benzene-1,2 diolato)phenyl silicates
FAB mass spectra of — and tris(Benzene-1,2 diolato) silicates and germanates: influence of the matrix, 145

background reduction
— through the use of pulsed valve sampling mass spectrometry 199
balloon-borne stratospheric mass spectrometry
the effect of collisionally induced dissociation in — of positive ions 301
binary cluster ions
abundance distribution of cluster ions in the laser mass spectra of the pure elements C, Si, Ge, Sn, and of — from their mixtures 319

$C_3H_6N^+$
on the structure and isomerization/dissociation reactions of — generated by methylation of acetonitrile in the gas phase 339
CAD MS–MS
a comparison of low and high energy — for peptide sequencing 183
cadmium
mass distributions of positive and negative cluster ions of zinc and — 85
$CBrCl_3$
electron capture chemistry of — at atmospheric pressure by mass spectrometry and the photodetachment-modulated electron capture detector 327
$CF_3SO_3C_2H_5$ triflate esters
a study of dissociative electron attachment to $CF_3SO_3CH_3$ and — triflate esters using the FALP apparatus 177
$CF_3SO_3CH_3$ triflate esters
a study of dissociative electron attachment to — and $CF_3SO_3C_2H_5$ triflate esters using the FALP apparatus 177
CH_4
charge exchange of O_2^+ ions with O_2 and —: the effect of internal energy studied using a new fixed wavelength PIPECO technique 133
charge transfer rate
simple theory of the — in ion/molecule reactions. 3. Refinement in mathematical treatment 295
cluster abundance mass spectra
— of $(Pb)_n^+$ and $(Pb)_n^-$ 93
cluster ions
abundance distribution of — in the laser mass spectra of the pure elements C, Si, Ge, Sn, and of binary cluster ions from their mixtures 319
cluster studies
a high mass range quadrupole spectrometer for — 105
collisionally induced dissociation
the effect of — in balloon-borne stratospheric mass spectrometry of positive ions 301

dissociation fragments
a new mass spectrograph for the analysis of — 11
double-focusing mass spectrograph
second-order — with a wide mass range, 19

electron capture chemistry
— of $CBrCl_3$ at atmospheric pressure by mass spectrometry and the photodetachment-modulated electron capture detector 327
electronic structures
the relationship between geometrical and — in transition metal tetrafluorides 135
ethane
translational and electronic energy dependence of the reaction of M_n^+ with — 123

FAB
— mass spectra of alkali bis(benzene-1,2 diolato)phenyl silicates and tris(benzene-1,2 diolato) silicates and germanates: influence of the matrix 145
FALP
a study of dissociative electron attachment to $CF_3SO_3CH_3$ and $CF_3SO_3C_2H_5$ triflate esters using the — apparatus 177
focal planes
characterization of the — of a mass spectrometer using the method of transfer matrices 41
FT/ICR
z-axis oscillation sidebands in — mass spectra 273

gas-phase
— negative ion chemistry of platinum metal fluorides III. Negative ions of pentafluorides 283
on the structure and isomerization/dissociation reactions of $C3H6N^+$ generated by methylation of acetonitrile in the — 339
geometrical structures
the relationship between — and electronic structures in transition metal tetrafluorides 135
glow discharge mass spectrometry
— of some organic compounds 209

haemoglobin Riyadh
mass spectrometric characterization of a haemoglobin variant —, 79
helium isotope ratio
— measurement by a single focusing mass spectrometer with large incident and exit angles 69
high mass range quadrupole spectrometer
a — for cluster studies 105
homogeneous magnet
the vertical component of an ion trajectory in a — to a third-order approximation 51

improved resolution
post source pulse focusing: a simple method to achieve — in a time-of-flight mass spectrometer 157
ion source location
influence of the — in multiphoton ionisation mass spectrometry of polyatomic molecules 261
ion trajectory
the vertical component of an — in a homogeneous magnet to a third-order approximation 51

Mn^+
translational and electronic energy dependence of the reaction of — with ethane 123
molecular ions
r.f.-spark source mass spectrometric studies of — 241
multi-isotopic element
yield distribution of M_n^+ ions due to a given – (M) and given *n* in the beam produced from and r.f.-spark ion source 229
multiphoton ionisation
influence of the ion source location in — mass spectrometry of polyatomic molecules 261

negative cluster ions
mass distributions of positive and — of zinc and cadmium 85

O_2
charge exchange of O_2^+ ions with — and CH_4: the effect of internal energy studied using a new fixed wavelength PIPECO technique 113
O_2^+
charge exchange of — ions with O_2 and CH_4: the effect of internal energy studied using a new fixed wavelength PIPECO technique 113
Osaka University
a new mass spectrometer at — 1

$(Pb)_n^+$
cluster abundance mass spectra of — and $(Pb)_n^-$ 93
$(Pb)_n^-$
cluster abundance mass spectra of $(Pb)_n^+$ and — 93
peptide sequencing
a comparison of low and high energy collisionally activated decomposition MS–MS for — 183
photodetachment-modulated electron capture detector
electron capture chemistry of $CBrCl_3$ at atmospheric pressure by mass spectrometry and the — 327
PIPECO technique
charge exchange of O_2^+ ions with O_2 and CH_4: the effect of internal energy studied using a new fixed wavelength — technique 113

platinum metal fluorides
gas-phase negative ion chemistry of —. III. Negative ions of pentafluorides 283
polyatomic molecules
influence of the ion source location in multi-photon ionisation mass spectrometry of — 261
positive cluster ions
mass distributions of — and negative cluster ions of zinc and cadmium 85
post source pulse focusing
—: a simple method to achieve improved resolution in a time-of-flight mass spectrometer 157
pulsed valve sampling mass spectrometry
background reduction through the use of — 199

r.f.-spark ion source
yield distribution of M_n^+ ions due to a given multi-isotopic element (M) and given n in the beam produced from an — 229
r.f.-spark source
— mass spectrometric studies of molecular ions 241

secondary ion mass spectra
— of silver clusters $(Ag)_n^+$ up to 26 000 dalton ($n = 240$) 99

tandem mass spectrometer
a super-high-resolution — 27
third-order approximation
the vertical component of an ion trajectory in a homogeneous magnet to a — 51
transfer matrices
characterization of the focal planes of a mass spectrometer using the method of — 41
transition metal tetrafluorides
the relationship between geometrical and electronic structures in — 135
tris(benzene-1,2 diolato) germanates
FAB spectra of alkali bis(benzene-1,2 diolato)phenyl silicates and tris(benzene-1,2 diolato) silicates and —: influence of the matrix 145
tris(benzen-1,2 diolato) silicates
FAB spectra of alkali bis(benzene-1,2 diolato)phenyl silicates and — and germanates: influence of the matrix 145

vertical component
the — of an ion trajectory in a homogeneous magnet to a third-order approximation 51

wide mass range
second-order double-focusing mass spectrograph with a — 19

yield distribution
— of M_n^+ ions due to a given multi-isotopic element (M) and given n in the beam produced from an r.f.-spark ion source 229

z-axis oscillation sidebands
— oscillation sidebands in FT/ICR mass spectra 273
zinc
mass distributions of positive and negative cluster ions of — and cadmium 85